See Instructions on back of page 6.

Department of Toxic Substances Control

UNIFORM HAZARDOUS 1. WASTE MANIFEST	Generator's US EPA ID No. A D 0 8 6 5 1 0 0 0 5	Manifest Docume	nt No.	2. Page		tion in the shaded areas quired by Federal law.
3. Generator's Name and Mailing Address Dauglas Aircraft Company, C1-C3C		E same [Sales	A. State	Manifest Doc		95462920
4. Generator's Phone (310) 496-6287 Or			B. State	Generator's II) (3)6(0))(5)6)9(8)
5. Transporter 1 Company Name	6. US EPA ID Number		C. State	Transporter's	D 2/3	
iomic Environmental Technologies	CADOOSA	5 2 6 5 7	D. Trans	porter's Phone		15) 324- 1638
7. Transporter 2 Company Name	8. US EPA ID Number		E. State	Transporter's I	D	
		1 1 1 1	f. Trans	porter's Phone		
Designated Facility Name and Site Address Tomic Chemical Corporation Bay Road	10. US EPA ID Number	oren _{de} re, derek gener 400a		Facility's ID		
aet Palo Alto, CA 94393	PAHMAN	1 1 1 1		T 10 T		
11. US DOT Description (including Proper Shipping I	Name, Hazard Class, and ID Number)	12. Cor No.	Type	13, Tota Quantity	The second secon	I. Waste Number
Wäste batteries, dry, contai nydroxide solid, 8, UN3028,		001	ŊF	0 0 0 0 2	la P	EPA/Other COOL
Våste batteries, dry, contal lydroxide solid, 8, UN3028,		001	ŊF	0000		State 18
c.	e.		-			State EPA/Other
d			ı			State EPA/Other
Additional Descriptions for Materials Listed Above 3. Add 171 Michael Codernium balled			K. Handl a. (c.	ing Codes for	b. d.	Nbove
5. Special Handling Instructions and Additional Info Hour emergency telephone ite address: 19503 South Nor 6. GENERATOR'S CERTIFICATION: I hereby deck	number (800) 424- 9300 mandie Avenue, Torranc	e, GA 9000) <u>"</u> 2.			
packed, marked, and labeled, and are in all resp If I am a large quantity generator, I certify tha economically practicable and that I have selected threat to human health and the environment, OR waste management method that is available to m	vects in proper condition for transport by high t I have a program in place to reduce the d the practicable method of treatment, storag t, if I am a small quantity generator, I have e and that I can afford.	way according to volume and toxici ae, or disposal cu	applicable ty of was rrently ave	e international of the generated to me s	and national go the degree I	vernment regulations. have determined to be the present and future
rinted/Typed Name Obert G. Tuell, Jr.	Signature	1 1/2 5	wal	U, Q_{\perp}	Mc	onth Day Year
7. Transporter 1 Acknowledgement of Receipt of Marinted/Typed Name	sterials Signature	Zad	 GrQ	7	Mo	inth Day Year
Transporter 2 Acknowledgement of Receipt of Morinted/Typed Name	sterials Signature	The same of the sa	The state of the s		Mo	nth Day Year
9. Discrepancy Indication Space						
Facility Owner or Operator Certification of receiprinted/Typed Name	t of hazardous materials covered by this mar Signature	ifest except as no	ted in Iten	1 19.	Mo	nth Day Year

DO NOT WRITE BELOW THIS LINE.

CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-75

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESP.

See Instructions on back of page 6.

Department of Toxic Substances Control

UNIFORM HAZARDOUS	1. Generator's US EPA ID No.	Manifest Docume	ent No.	2. Page 1	Information in the shaded areas
WASTE MANIFEST	CAD088510005	01.249	12 1	of	is not required by Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Company, C1 3855 Lakewood Blvd, Long Be	-Q6C (11-11) Attn: Rob Tuell			e Manifest Docume	9546292
4. Generator's Phone (310) 496-626	보다 하고 그는 이 사람이 가지만 그는 그가 하면 가지 않고 하면 하고 있었다. 전에 가난 하고 있다면 하는 사람들은 사람들이 가지 않는 것이다. 그런 그렇게 되었다면 하다는 것으로 그렇다.		B. State	Generator's ID	
5. Transporter 1 Company Name	6. US EPA ID Number		C. State	Transporter's ID	101/10151015101
Romic Environmental Technolo	oles CADOOAI	I. O. E. E. T		sporter's Phone	431385
7. Transporter 2 Company Name	8. US EPA ID Number	44991		Transporter's ID	(415) 324-763
9. Designated Facility Name and Site Addres Romic Chemical Corporation 2081 Bay Road East Palo Alto, CA 94203	10, US EPA ID Number C A D 0 0 9 4 5	<u> </u>	G. State	sporter's Phone Facility's ID	415-324-163
11. US DOT Description (including Proper Ship	oping Name, Hazard Class, and ID Number)	12. Cor	Later Committee	13. Total	14. Unit
Waste batteries, dry, co hydroxide solid, 8, UN30	ntaining potassium	0 0 1	Type	Quantity 0 0 0 2 4	Wt/Vol I. Waste Number State EPA/Other
Nåste batteries, dry, co hydroxide solid, 8, UN30, c	ntaining potassium 28, PG III (D006)	001	ŊF	00060	State EPA/Other ENA
					State EPA/Other
d.	¥.				State EPA/Other
15. Special Handling Instructions and Additional Hours of	Micros	Chemtre	G	OT ERG# 1	d. 1a-b) 60
GENERATOR'S CERTIFICATION: I hereby packed, marked, and labeled, and are in a lf I am a large quantity generator, I certification and that I have seconomically practicable and that I have se	declare that the contents of this consignment are full ill respects in proper condition for transport by highwrite that I have a program in place to reduce the voelected the practicable method of treatment, storage at the OR if I am a small quantity generator. I have	y and accurately ay according to a	described applicable y of waste	international and i	national government regulations. degree I have determined to be
rinted/Typed Name Obert G. Tuell, Jr.	Signature	401	- /	10 n	Month Day Year
7. Transporter 1 Acknowledgement of Receipt	of Materials		MAGAY	<u> </u>	
in/ed/Typed Name CARLO	Signature All Lea	Zastl	cald		Month Day Year
 Transporter 2 Acknowledgement of Receipt of inted/Typed Name 	of Materials Signature				Month Day Year
2. Discrepancy Indication Space					
D. Facility Owner or Operator Certification of r	eceipt of hazardous materials covered by this manife		dis s	10	
inted/Typed Name	Signature Signature	su except as note	a in Item	IY.	Month Day Year
	DO NOT WRITE RELOW T	71110 LINIE			

E CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESP.

97579796

GENERATOR NAME Douglas Aircraft Compay	EPA ID NUMBER:	HOLO	8 5 6	12//	٣1_
MANIFEST NUMBER: 95462926	ANIFEST LINE ITEM:	11.0	11.6	11.c	11.d
PLEASE LIST "W" FOR WASTEWATER OR "NW" FOR NONWASTEWATER UNDER APPROPR	IATE LINE ITEM BOX	NW	NW		
PLEASE LIST CALIFORNIA WASTE CODE UNDER APPROPR		181	181		
PLEASE LIST EPA WASTE CODES SHOWN ON MANIFEST UNDER APPROPR		0009	D006		•
PLEASE CHECK ALL ITEMS BELOW THAT APPLY IN THE COLUMN BELOW EACH MA	TREATMENT REFERENCE				
TREATABILITY GROUPS AND/OR SUBCATEGORIES****	(see reverse)			-	
D001 Ignitable Liquids - Wastewaters	1				
D001 Ignitable Liquids - Low (<10%) TOC Subcategory	1				.,,,,
D001 Ignitable Liquids - High (>=10%) TOC Subcategory	2				
D001 Ignitable Reactives (Solids)					
0001 Oxidizers**	1				
D002 Acid (pH ≤ 2) Subcategory	1				
D002 Alkaline (pH ≥ 12.5) Subcategory					
D002 Other Corrosives	1				
D004-D011 Wastewaters w/Heavy Metals	3	1	V		
DOO4-DO11 Nonwastewaters w/Heavy Metals including only the Low Mercury (<260mg/kg) Subcategory and excluding Cadium and Lead Batteries					
F001-F005 Spent Solvent Waste	5				
F006 Electroplating Treatment Sludges	3, 4*				
F007-F009 Spent Cyanide Wastes**	3, 4*				
F024 for Certain Process Wastes from Chlorinated Hydrocarbon Production	6				
F039 Multi-Source Leachate (Treatment Standards on Additional Sheet)	7				
KO48-KO52 Petroleum Refining Wastes	3, 4*				
KO61 Wastewaters from Steel Production**	3				
K061 Nonwastewaters from Steel Production-Low (<15%) Zinc Subcategory**	4				
KO86 Wastes from Ink Formulation	3, 4*				
KO87 Decanter Tank Tar Sludge from Coking Operations	3, 4*				
U002_U004_U019_U031_U037_U044**_U070_U080_U108_U112_U121_U140_U159_U161_ U209_U210_U211_U220_U226_U228_U239_Wastes Off-spec/surplus_acetone.acetophenone; benzene;n-butanol;chlorobenzene; chloroform***_o-dichlorobenzene;methylene chloride;1,4-dioxane;ethyl acetate;fluorotrichloromethane;isobutanol;methyl ethyl ketone; methyl isobutyl ketone;1,1,2,2-tetrachloroethane;tetrachloroethylene;carbon tetrachloride;toluene;1,1,1-trichloroethane;trichloroethylene;and/or xylenes OR spill residues thereof	3 (1997) 1997)				
U003 Off-spec/surplus acetonitrile OR spill residues thereof	8 3				
U057 Off-spec/surplus cyclohexanone OR spill residues thereof	9				<u> </u>
U055,U056,U122,U154,U213 Wastes : Off-spec/surplus cumene;cyclohexane; formaldehyde;methanol;tetrahydrofuran OR spill residues thereof	10				
U110 U171 Wastes : Off-spec/surplus dipropylamine;2-nitropropane OR spill residues thereof	11				
40 CFR 268 Appendix IV Organometallic Lab Pack-Sign Certification Below		1			
40 CFR 268 Appendix V Organic Lab Pack - Sign Certification Below	12				
Liquid containing Ni ≥134mg/L and/or Tl ≥130mg/L (CA List Remnant)	13	<u> </u>	 		
Aqueous Waste w/ HOCs*** ≥1,000mg/l and <10,000mg/l (CA List Remnant)	13				<u> </u>
Name works Useta U/ >1 000mg/kg NOCs*** or Acueous Waste W/ ≥10.000mg/L	14	1			1

Only 3 applies for wastewaters; both apply for nonwastewaters.

*** Romic's Arizona Facility (Romic Southwest) only handles these!

*** Halogenated Organic Carbons as listed in Appendix III of 40 CFR 268.

**** No Treatment Standards have been specified for D018-D043 Wastes yet.

Lab Pack Certification (only):

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste and that the lab pack(s) contain(s) only the wastes specified in Appendix IV (one of those excluded or through knowledge of the waste and that the lab pack(s) contain(s) only the wastes specified in Appendix V to Part 268 is D009) or solid wastes not subject to regulation under 40 CFR Part 261. I am aware that there are significant penalties for submitting or solid wastes not subject to regulation under 40 CFR Part 261. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.

Signature:

Revised 09/26/91

CALIFORNIA/NON-RCRA

PLEASE CHECK ALL ITEMS BELOW THAT APPLY IN THE COLUMN BELOW EACH MANIFEST LINE ITEM:

APPLICATION PROMIBITIONS	TREATMENT STANDARDS	11.8	11.b	11.c	11.d
Solvent-Containing Liquid with > 1% by weight Total Organic Carbon (TOC).	Total Organic Constituent ≤ 100 and 36 Specific Organic Compounds ≤ their respective limits which range from 1.5 to 10 (Total Concentration in mg/kg WET Weight) OR Incineration				
htroleum Waste generated from industries ivolved in exploration, production, transportation, refining, and/or marketing of crude oil and its by-products identified by SIC codes 1311, 1381, 1382, 1389, 2911, 4512, 4613, and/or 5171 with any organic compound detected by EPA Methods 8240, 8270, and/or 9071.	≤ 1.0% oil & grease by EPA Method 9071; ≤ 64 total ppm of 4 specified volatiles by EPA Method 8240; and ≤ 435 total ppm of 12 specified semi-volatile organics by EPA Method 8270 OR ≤ specified limits for 4 volatiles + 12 semi-volatiles as determined on a dry basis by EPA Methods 8240 and 8270 OR Incineration or Fuel Substitution with 99.99% DRE	OMCZMOMZ	RUSURYUD	RUSURVUD	RESERVED
Paint Sludge (generated from formulation, application and/or removal of paint) which can not be classified as Solvent-Containing Liquid, but which contains > 1% auspended solids and any of the metals identified in Section 66261.24(a)(2)(A) or any organic compound measured by EPA Methods 8240 or 8270.	Metals: 15 metals <= their STLC value; As ≤15 (STLC=5); Cu ≤230 (STLC=25); Pb ≤67 (STLC=5) Organics: ≤ 30 ppm volatile organics by EPA Method 8240 and ≤ 360 ppm semi-volatile organics by EPA Method 8270 OR Incineration or Fuel Substitution with 99.99% DRE	OMCZEMOMZ		CM<2mcm2	RESERVED
Nonspecific Solids with any organic compound measured by EPA Methods 8080, 8140, 8150, 8240, and/or 8270.	≤ 1% oil & grease by EPA Method 9071; ≤ 25 ppm volatile organics by EPA Method 8240; ≤ 435 ppm semi-volatile organics by EPA Method 8270; and solvent extraction, critical fluid extraction, or thermal separation for organics undetectable by Methods 8240 and 8270 DR incineration with 99.99% DRE				
Nonspecific Aqueous/Liquid (<=1% suspended solids) with any organic measured by EPA Methods 8080, 8140, 8150, 8240 and/or 8270.	Concentration of each individual organic compound measured by an approved EPA test method shall not exceed 0.5 mg/l.				
Foundry Sand	Cd ≤ 1; Cu ≤ 200; Pb ≤ 30; Ni ≤ 20; Zn ≤ 250 (mg/l extract) (Nonspecific Standards apply for other hazardous constituents or hazardous characteristics.)				
Fly Ash, Bottom Ash, Retort Ash or Baghouse Waste from Sources other than Foundries containing any metal or metal compounds in Section 66261.24(a)(2)(A)	As \$ 15; Cd \$ 1.0; Cu \$ 40; Pb \$ 20; Ni \$ 20; Se \$ 1.0; V \$ 24; Zn \$ 250 tmg/l extract) (Nonspecific Standards apply for other hazardous constituents or hazardous characteristics.)				
Nonspecific Metal-Containing Solids [Metals in Section 66261.24(a)(2)(A)]	15 metals <= their STLC value; As ≤ 15 (STLC = 5); Cu ≤ 230 (STLC = 25); Pb ≤ 67 (STLC = 5)				
Nonspecific Aqueous (<=1% suspended solids) with metals in Section 66261.24(a)(2)(A)	All 18 metals must be <= STLC value				
Non-RCRA not covered by the above excluding PCB-containing and auto shredder waste	No persistent or bioaccumulative substance > its STLC value				

e: Specific Prohibition takes precedence over "Nonspecific" Prohibition

STLC = Soluble Threshold Limit Concentration

TREATMENT STANDARDS

TREATMENT STANDARDS

1 - See 40 CFR 268.42(a) - DEACT
2 - See 40 CFR 268.42(a) - FSUBS; RORGS; or INCIN
3 - Constituent concentrations in the waste or treatment residue of the waste do not exceed the lowest value shown in Table CCU of 40 CFR 268.43(a) for any hazardous constituent listed in Table CCW for that waste.
4 - An extract of the waste or of the treatment residue of the waste developed using the test method (TCLP) in Appendix II of a few for the waste or of the treatment residue of the waste developed using the test method (TCLP) in Appendix II of in Table CCW of 40 CFR 268.41(a) for any hazardous constituent listed in Table CCW of 40 CFR 268.41(a) for any hazardous constituent listed in Table CCW of 40 CFR 268.41(a) for any hazardous constituent listed in Table CCW of 40 CFR 268.41(a) for any hazardous constituent listed in Table CCW of 40 CFR 268.41(a) for any hazardous constituent concentrations in Waste Extract (CCWE) in mg/l:
5 - Maximum Wastewater (Nomestewater constituent Concentrations in Waste Extract (CCWE) in mg/l:
6 - Maximum Wastewater (Nomestewater on Constituent Concentrations in Waste (CCWE) in mg/l:
7 - Trichiorol 2 - 20*7.95; Hethyl Ethyl Ketone - .05/.25; 28/2/.75; Cetokexanone - .125/.75; 1.2-Dichiorobenzere - .65/.125; Pyridine - .05/.55; Ethyl benzere - .05/.05; Ethyl ether - .05/.75; Isobutanol - 5.0/5.0; Nethanol - .25/.75; Pyridine - 1.12/.35; 1-11/2/.35; 1-11/2/.35; Nethanol - .25/.75; Pyridine - 1.12/.35; 1-11/2/.35; Nethanol - .25/.75; Pyridine - 1.12/.35; 1-11/2/.35; Nethanol - .25/.75; Yethyl ether - .05/.75; Nethyl ethyl ethy

APPLICABLE EXTENSIONS

National Capacity Variance until 5/8/92 for D004-D011 Inorganic Solid Debris; D004 Nonwastewaters; D009 Low Mercury Nonwastewater; F039 Nonwastewater; and U003, U110, and U171 wastes which are contaminated soil and debris. California Capacity Variance until 5/8/92 for Non-RCRA treatment standards for Nonspecific Metal-Containing Solids, Nonspecific Aqueous/Liquid with Organics, and Nonspecific Solids with Organics.

sed 9/26/91

TECHNOLOGIES COR	왕아이 많이 많이 나가 되었다. 내가 주었다	CRAFT /I	TATUS REPORT	DATE 7	7195
PRESS	-6			EPA ID NUMBER CADOS MANIFEST NUMBER	<u>, (/ 000 5</u>
ICALH	スとE DRI	JM LOADS		7576 <i>6</i> BULK	LOADS
TYPE OF DRUMS	LINE A	NUMBER OF	F DRUMS LINE C LINE	# OF GALLONS	# OF DRUMS PUMPED
Y DRUMS					
Y LINED METAL DRUMS					
R PACKS / RECOVERY DRUM					
ER (5, 20 GAL) SPECIFY	0 5692 DPOLY	15 GAL FIBER			
OTAL DRUMS HANDLED		COL	IMENTS		
		VVIII	MENTO		
		OTHER	CHARGES CANCELLATION WITHOUT NO	OTICE (\$350.00 CHARGE)	
RGENCY PICK-UP (\$500.00 CHAR		OCE /1.1/2 HOURS FREE I	LOAD TIME, \$100 CHARGE EVE		
START DATE	TIME		START DATE	TIME	
STOP-DATE 1.00 10 s	TEINAE	A.M. / P.M.	STOP DATE	TIME	A.M. / P.M.
+11+17	\	A.M.) P.M.	TOTAL TIME III		A.M. / P.M.
	A DWI	DISGO AIRPOR	TOTAL TIME		
TOTAL TIME IIII	A 545				
START DATE	TIME	INED @ DAC (6)			
<u> </u>	TIME ARK	The second of th			
START DATE		A.M./P.M.)			
START DATE STOP DATE 195		A.M./P.M.)	LOAD START TIME	ING / OFF LOADING TIMI	
START DATE STOP-DATE TOTAL TIME	TIMES LE	A.M./P.M.)		ING / OFF LOADING TIMI	A.M. / P.M.
START DATE STOP-DATE TOTAL TIME IIII START DATE STOP DATE	TIME TIME	AM. REM	START TIME STOP TIME	ING / OFF LOADING TIME	
START DATE STOP DATE TOTAL TIME IIII	TIME TIME	A.M. /P.M.	STÅRT TIME	ING / OFF LOADING TIMI	A.M. / P.M.
START DATE STOP-DATE TOTAL TIME IIII START DATE STOP DATE	TIME TIME	A.M./P.M. A.M./P.M. A.M./P.M.	START TIME STOP TIME	ING / OFF LOADING TIMI	A.M. / P.M.
START DATE STOP-DATE TOTAL TIME IIII START DATE STOP DATE	TIME TIME	A.M./P.M. A.M./P.M. A.M./P.M.	START TIME STOP TIME TOTAL	ING / OFF LOADING TIMI	A.M. / P.M.
START DATE STOP-DATE TOTAL TIME IIII START DATE STOP DATE	TIME TIME	A.M./P.M. A.M./P.M. A.M./P.M.	START TIME STOP TIME TOTAL	ING / OFF LOADING TIMI	A.M. / P.M.